

Junction box

# Abox 250-L



## Abox 250-L

### Junction box

**CUSTOMIZABLE**

Productnumber: 82591001  
Dimensions: 250 x 200 x 115 mm

Junction box acc. to DIN EN 60670 (VDE 0606),  
Ui=690V, with IP54 attachment bushes, M40,  
seal range 17 - 30 mm, with blanking plug M40,  
with sealing kit

### Grey, without terminals



To industrial product:  
<https://www.spelsberg.com/p/49092501>

## Technical Data

### electrical characteristics

Protection type UL:	not specified
Rated insulation voltage AC:	690 V
Type of protection:	IP54/IP65
Circuit integrity class:	none
Max. conductor cross section:	25 mm <sup>2</sup>
Protection class:	II

### Colours

Cover colour:	grey
---------------	------

### Dimensions

Length:	200 mm
Width:	250 mm

### Dimensions

Height:	115 mm
---------	--------

### Material characteristics

suitable for exterior use:	no
Halogen free:	yes
Industry quality:	no

### mechanical properties

Type of fastening:	Wall/ceiling mounting
Sealable:	yes
Cover screw torque:	1 Nm
Impact strength:	IK07

## Ambient conditions

max. relative humidity 25°C:	95 %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-25
Max. ambient temperature:	40
24h ambient temperature:	35

## Material

Base unit material:	Polystyrene
Cover material:	Polystyrene
Cover screw material:	Stainless steel V2A

## Certificates

Test mark:	VDE
------------	-----

## Accessories

---

KS M20 - Combi set

---

KS M25 - Combi set

---

KS M25-gro - Combi set

---

KS M32 - Combi set

---

KST M25-17 - Combi connector

---

KST M25-33 - Combi connector

---

KST M32 - Combi connector

---

WST M20 - Twist plug

---

WST M25 - Twist plug

---

WST M32 - Twist plug

---

WST M40 - Twist plug

---

WST M50 - Twist plug

---

WNI M20 - Twist nipple

---

WNI M25 - Twist nipple

---

WNI M32 - Twist nipple

---

SNI M20 - Stepped nipple

---

SNI M25 - Stepped nipple

---

SNI M32 - Stepped nipple

---

SNI M40 - Stepped nipple

---

KVR M20-MGM - Cable gland

---

KVR M20-GDB/MGM - Cable gland

---

KVR M25-MGM - Cable gland

---

KVR M32-MGM - Cable gland

---

KVR M40-MGM - Cable gland

---

KVR M50-MGM - Cable gland

---

AST M20 - Attachment bushes

---

AST M25 - Attachment bushes

---

AST M32 - Attachment bushes

---

AST M40 - Attachment bushes

---

VST M20 - Sealing plugs

---

VST M25 - Sealing plugs

---

VST M32 - Sealing plugs

---

VST M40 - Sealing plugs

---

DMS M20/w - M20, white

---

DMS M25/w - M 25, white

---

DMS M20 - Double-membrane seals

---

DMS M25 - Double-membrane seals

---

DMS M32 - Double-membrane seals

---

DMS M32/4 - Double-membrane seals

---

DMS M40 - Double-membrane seals

---

BST M20/sw - Ventilation seal

---

BST M20 - Ventilation seal

---

RST M20 - Conduit connector

---

RST M32 - Conduit connector

---

Abox 250/350 KLS-25<sup>2</sup>/35<sup>2</sup> - Terminal block

---

NS35-144/2 - Standard rail

---